JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 388 (1990)

AUTHOR INDEX

Alt, H.G., (388) 105
Anderson, G.K., (388) 221
Ateş, M., (388) C9
Avilés, T., (388) 143

Badman, G.T., (388) 117
Baudry, D., (388) 279
Becker, B., (388) 57
Behrens, U., (388) 21
Belsky, V.K., (388) 11
Ben Hadda, T., (388) C13
Berg, E. van den, (388) 233
Besace, Y., (388) C5
Bour, J.J., (388) 233
Bozec, H. Le, (388) C13
Breunig, H.J., (388) C9
Brunner, H., (388) 203
Buchholz, D., (388) 307, 321
Bulot, E., (388) 279
Bulychev, B.M., (388) 11
Burrell, A.K., (388) 291

Carrondo, M.A.A.F. de C.T., (388) 143
Castellari, C., (388) 243
Chung, T.C., (388) 1
Clark, G.R., (388) 391
Cotton, J.D., (388) 123, 133
Cresson, P., (388) C5
Cross, R.J., (388) 221
Curnow, O.J., (388) 379

Danks, I.P., (388) 301
Dargatz, M., (388) 259
De Felice, V., (388) 243

Edelmann, F.T., (388) 21
Engman, L., (388) 71
Ephritikhine, M., (388) 279
Esteruelas, M.A., (388) 365

Felice, V. de, (388) 243
Font-Bardia, M., (388) 169
Fritsche, K., (388) 47

García, M.P., (388) 365
Gianotti, C., (388) 175
Gilbert, S., (388) 327
Glöckner, W., (388) 95
Gourdon, A., (388) 195
Green, D.V.S., (388) 117
Gremaud, G., (388) 351

Hadda, T. Ben, (388) C13
Hall, C.D., (388) 301
Halton, B., (388) 215
Hammel, A., (388) 75
Hammond, P.J., (388) 301
Hesselbarth, F., (388) 259
Hsiao, Y.M., (388) 151
Huang, P.S., (388) 151
Huttner, G., (388) 307, 321

Imhof, W., (388) 307, 321
Irie, M., (388) 253
Irie, S., (388) 253

Janietz, N., (388) 203
Jeannin, Y., (388) 195
Jeffrey, J.G., (388) 391
Jemmis, E.D., (388) 289
Jungbluth, H., (388) 351
Jurkschat, K., (388) 259

Kanters, R.P.F., (388) 233
Kaur, G., (388) 63
Kleinpeter, E., (388) 259
Knorr, M., (388) 327
Knösel, F., (388) 21
Kramer, A., (388) 187
Kroes, M.M., (388) 133

Lahoz, F.J., (388) 365
Lance, M., (388) 279
Lang, H., (388) C1
Lange, H., (388) 57
Lay, U., (388) C1
Leaman, S.A., (388) 221
Le Bozec, H., (388) C13
Lehmann, J., (388) 259
Lin, J.T., (388) 151
Lobana, T.S., (388) 273
López, A.M., (388) 365
Lorenz, I.-P., (388) 187

Markwell, R.D., (388) 123, 133
Mathieu, R., (388) 169
Mbogo, S.A., (388) 273
McWhinnie, W.R., (388) 273
Melnyk, O., (388) C5
Meunier-Piret, J., (388) 259
Miles, E.A., (388) 133
Mountassir, C., (388) C13
Mourad, Y., (388) C9
Mugnier, Y., (388) C9

Nakao, R., (388) 253
Neumann, H.-P., (388) 203
Nicholson, B.K., (388) 379
Nierlich, M., (388) 279
Noltemeyer, M., (388) 21
Nuber, B., (388) 203

Oka, K., (388) 253
Orama, O., (388) 321
Oro, L.A., (388) 365

Palackal, S.J., (388) 105
Panunzi, A., (388) 243
Persson, J., (388) 71
Piana, H., (388) 327
Piedade, M.F.M., (388) 143
Pourcelot, G., (388) C5

Ramakrishnan, S., (388) 1
Rehder, D., (388) 95
Rickard, C.E.F., (388) 391
Roberts, R.M.G., (388) 181
Robertson, F.J., (388) 221
Rocamora, M., (388) 221
Rogers, R.D., (388) 105
Roper, W.R., (388) 391
Ros, J., (388) 169

Elsevier Sequoia S.A.

Rozova, E.A., (388) 11
Rycroft, D.S., (388) 221

Sanchez, A., (388) 243
Sandhu, G.K., (388) 63
Sastry, G.N., (388) 289
Schlebos, P.P.J., (388) 233
Schubert, U., (388) 327
Severinsen, M.J., (388) 379
Sharpe, N.W., (388) 301
Sizov, A.I., (388) 11
Sokolova, T. Yu., (388) 11
Solans, X., (388) 169
Soloveichik, G.L., (388) 11
Song, L., (388) 215
Stang, P.J., (388) 215
Steggerda, J.J., (388) 233
Stephan, E., (388) C5
Steudel, R., (388) 89
Stoeckli-Evans, H., (388) 351
Süss-Fink, G., (388) 351
Süssmilch, F., (388) 95

Tacke, R., (388) 47, 57
Tafel, A., (388) 47
Teixeira, G., (388) 143
Thomas, M.J.K., (388) 301
Tiekink, E.R.T., (388) 273
Tzschach, A., (388) 259

Van den Berg, E., (388) 233
Vigner, J., (388) 279
Vitagliano, A., (388) 243
Voyle, M., (388) 117

Wachter, J., (388) 203
Wang, S.Y., (388) 151
Wedler, M., (388) 21
Weidlein, J., (388) 75
Wen, Y.S., (388) 151
Westphal, U., (388) 89
Wuttke, F., (388) 47
Wijnhoven, J., (388) 233

Yanez, R., (388) 169
Yeh, S.K., (388) 151

Zakrzewski, J., (388) 175
Ziegler, M.L., (388) 203

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 388 (1990)

SUBJECT INDEX

Aluminium

Alkyl exchange reactions between boron and aluminium, NMR study of; effect of such exchange reactions on the polymerisability of alkenyldialkylboranes by the Ziegler–Natta process (S. Ramakrishnan, T.C. Chung), (388) 1

Titanocene aluminium hydride, reactions with alcohols, amines and ethers; structures of $[(\eta^5\text{-}C_5H_5)Ti(\mu_2\text{-}H)_2Al(H)(\mu_2\text{-}OC_2H_5)]_2$ and $[(\eta^5\text{-}C_5H_5)_2Ti(\mu_2\text{-}H)_2Al(H)\{\mu_2\text{-}N(C_2H_5)_2\}]_2$ (T.Yu. Sokolova, A.I. Sizov, B.M. Bulychev, E.A. Rozova, V.K. Belsky, G.L. Soloveichik), (388) 11

Antimony

Tetraphenyldistibane, redox properties of (Y. Mourad, Y. Mugnier, H.J. Breunig, M. Ateş), (388) C9

Arsenic

$[HRu_3(CO)_{11}]^-$ anionic cluster, reactions with phosphor- and arsene-containing ligands; synthesis and crystal structure of $H_2Ru_3(CO)_7(AsPh_3)_2(AsPh)$ (G. Gremaud, H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (388) 351

Boron

Alkyl exchange reactions between boron and aluminium, NMR study of; effect of such exchange reactions on the polymerisability of alkenyldialkylboranes by the Ziegler–Natta process (S. Ramakrishnan, T.C. Chung), (388) 1

Chromium

1,2-Bis(3-indenyl)ethane dianion, reactions with photochemically activated carbonyl complexes of chromium, molybdenum and tungsten; crystal structure of 1,2-bis(3-indenyl)ethane (H.G. Alt, S.J. Palackal, R.D. Rogers), (388) 105

β-Phenylglucuronides, synthesis using the Mitsunobu reaction; application of phenolic chromium tricarbonyl complexes (G.T. Badman, D.V.S. Green, M. Voyle), (388) 117

Cobalt

Chloromethylphenylethinylsilane, reaction with octacarbonyldicobalt; reactivity of $[(\eta^2\text{-}C{\equiv}CPh)Co_2(CO)_6](Me)Si(H)(Cl)$ (H. Lang, U. Lay), (388) C1

Dinuclear sulfur- and selenium-bridged carbonyl-rhodium complexes, reactivity studies of (H. Brunner, N. Janietz, J. Wachter, H.-P. Neumann, B. Nuber, M.L. Ziegler), (388) 203

$Et_4N[trans\text{-}(Cl_3Sn)_2Co(CO)_3]$ and $[Co\{(pz)_3BH\}_2][trans\text{-}\{[(CO)_4Co]Cl_2Sn\}_2Co(CO)_3]$, preparation, structures and bonding in (O.J. Curnow, B.K. Nicholson, M.J. Severinsen), (388) 379

Copper

Allyl cuprates, diastereoselective addition to unsaturated chiral imides (G. Pourcelot, O. Melnyk, Y. Besace, E. Stephan, P. Cresson), (388) C5

Gold

Isonitrile-containing platinum–gold phosphine clusters (R.P.F. Kanters, P.P.J. Schlebos, J.J. Bour, J. Wijnhoven, E. van den Berg, J.J. Steggerda), (388) 233

Iridium

Heterodinuclear Ru–Ir and Ru–Rh complexes, synthesis and catalytic activity of; crystal structure of $[H(CO)(PPh_3)_2Ru(\mu\text{-}Cl)(\mu\text{-}pz)Ir(TFB)]$ (pz = pyrazolate, TFB = tetrafluorobenzobarrelene) (M.P. García, A.M. López, M.A. Esteruelas, F.J. Lahoz, L.A. Oro), (388) 365

Elsevier Sequoia S.A.

Iron

Azaferrocene, photochemical synthesis of (J. Zakrzewski, C. Giannotti), (388) 175

$[Fe_5C(CO)_{15}]$, phosphine substituted derivatives of; crystal structure of $[Fe_5C(CO)_{12}(PMe_2Ph)_3]$ (A. Gourdon, Y. Jeannin), (388) 195

$Fe_2(CO)_6(\mu\text{-}CRCR'COEtH)$ complexes (R = R′ = Ph; R = Ph, R′ = Me), synthesis of; products resulting from the action of $[Et_3O][BF_4]$ on a mixture of di- and tri-nuclear anionic iron complexes containing a bridging ethene or alkyne ligand (R. Yanez, J. Ros, X. Solans, M. Font-Bardia, R. Mathieu), (388) 169

$Fe_4(CO)_{12}(\mu_4\text{-RP})$: a tripledecker derivative of the 2π-ligand $RPFe_2(CO)_6$ (D. Buchholz, G. Huttner, W. Imhof, O. Orama), (388) 321

$Fe_3(CO)_{10}(\mu_3\text{-RP})$ clusters, introduction of $\mu_3\text{-}\eta^2$-RPO- and $\mu_3\text{-}\eta^2$-RPOEt ligands; OCN^- as oxygen transfer agent (D. Buchholz, G. Huttner, W. Imhof), (388) 307

Ferrocene-containing cryptands and their metal complexes, Mössbauer studies on (C.D. Hall, I.P. Danks, P.J. Hammond, N.W. Sharpe, M.J.K. Thomas), (388) 301

Ferrocenyl derivatives of anthracene, synthesis of (R.M.G. Roberts), (388) 181

$HW_2(CO)_9(NO)$, substitution of phosphine for CO ligand in; structures of $HW_2(CO)_8(NO)(\eta^2\text{-}(\eta^5\text{-}C_5H_4PPh_2)_2Fe$, $HW_2(CO)_7(NO)(Ph_2PH)_2$, $HW_2(CO)_7(NO)\text{-}(\eta^2\text{-}Ph_2PCH_2PPh_2)$, and $[HW_2(CO)_8(NO)]_2\text{-}(\mu\text{-}Ph_2PCH_2CH_2PPh_2)$, (J.T. Lin, S.Y. Wang, P.S. Huang, Y.M. Hsiao, Y.S. Wen, S.K. Yeh), (388) 151

Hydridostannyl complexes of iron and corresponding anionic complexes; preparation, stereochemistry and reactivity of (M. Knorr, H. Piana, S. Gilbert, U. Schubert), (388) 327

Nido-cluster $[(CO)_3FeS]_2$, photochemically induced [2 + 2]-cycloaddition of alkenes and dienes to the S–S bond of (A. Kramer, I.-P. Lorenz), (388) 187

Manganese

$[Mn(CH_3\text{-}\eta^5\text{-}C_5H_4)(CO)_2PPh_3]$, reaction with iodine; crystal structure of diiodobis(triphenylphosphine oxide)manganese(II) (T. Avilés, M.A.A.F. de C.T. Carrondo, M.F.M. Piedade, G. Teixeira), (388) 143

Pentacarbonylbenzylmanganese(I) systems, substituent effects on the alkyl migration reaction in (J.D. Cotton, R.D. Markwell), (388) 123

Metallocenes

Azaferrocene, photochemical synthesis of (J. Zakrzewski, C. Giannotti), (388) 175

Ferrocene-containing cryptands and their metal complexes, Mössbauer studies on (C.D. Hall, I.P. Danks, P.J. Hammond, N.W. Sharpe, M.J.K. Thomas), (388) 301

Ferrocenyl derivatives of anthracene, synthesis of (R.M.G. Roberts), (388) 181

Monocyclooctatetraenyluranium(IV) borohydrides; crystal structure of $(\eta\text{-}C_8H_8)U(BH_4)_2(OPPh_3)$ (D. Baudry, E. Bulot, M. Ephritikhine, M. Nierlich, M. Lance, J. Vigner), (388) 279

Titanocene aluminium hydride, reactions with alcohols, amines and ethers; structures of $[(\eta^5\text{-}C_5H_5)Ti(\mu_2\text{-}H)_2Al(H)(\mu_2\text{-}OC_2H_5)]_2$ and $[(\eta^5\text{-}C_5H_5)_2Ti(\mu_2\text{-}H)_2Al(H)\{\mu_2\text{-}N(C_2H_5)_2\}]_2$ (T.Yu. Sokolova, A.I. Sizov, B.M. Bulychev, E.A. Rozova, V.K. Belsky, G.L. Soloveichik), (388) 11

Titanocene complexes containing the chelating ligands $C_2S_4^{4-}$, $C_2S_5^{2-}$, and $C_2S_6^{2-}$, synthesis and spectra of (R. Steudel, U. Westphal), (388) 89

Molybdenum

1,2-Bis(3-indenyl)ethane dianion, reactions with photochemically activated carbonyl complexes of chromium, molybdenum and tungsten; crystal structure of 1,2-bis(3-indenyl)ethane (H.G. Alt, S.J. Palackal, R.D. Rogers), (388) 105

Carbonyl insertion reaction into metal–carbon bonds, solvent and nucleophile effects on (J.D. Cotton, M.M. Kroes, R.D. Markwell, E.Z. Miles), (388) 133

Palladium

Metallacyclobutarenes from cyclopropa[*b*]naphthalene, reactions with rhodium(I), platinum(0) and palladium(0) (P.J. Stang, L. Song, B. Halton), (388) 215

trans-$[PdCl(C_6H_4\text{-}2\text{-}N_2Ph)(PR_3)_2]$ and related complexes, conformation and ligand exchange reactions of (G.K. Anderson, R.J. Cross, S.A. Leaman, F.J. Robertson, D.S. Rycroft, M. Rocamora), (388) 221

Phosphorus

Carbonylvanadates, hydrido- and alkyl-carbonylvanadium complexes containing alkylated oligophosphines as ancillary ligands (F. Süssmilch, W. Glöckner, D. Rehder), (388) 95

[$Fe_5C(CO)_{15}$], phosphine substituted derivatives of; crystal structure of [$Fe_5C(CO)_{12}(PMe_2Ph)_3$] (A. Gourdon, Y. Jeannin), (388) 195

$Fe_4(CO)_{12}(\mu_4$-RP): a tripledecker derivative of the 2π-ligand $RPFe_2(CO)_6$ (D. Buchholz, G. Huttner, W. Imhof, O. Orama), (388) 321

$Fe_3(CO)_{10}(\mu_3$-RP) clusters, introduction of μ_3-η^2-RPO- and μ_3-η^2-RPOEt ligands; OCN^- as oxygen transfer agent (D. Buchholz, G. Huttner, W. Imhof), (388) 307

[$HRu_3(CO)_{11}]^-$ anionic cluster, reactions with phosphor- and arsene-containing ligands; synthesis and crystal structure of $H_2Ru_3(CO)_7(AsPh_3)_2(AsPh)$ (G. Gremaud, H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (388) 351

Hydridostannyl complexes of iron and corresponding anionic complexes; preparation, stereochemistry and reactivity of (M. Knorr, H. Piana, S. Gilbert, U. Schubert), (388) 327

Isonitrile-containing platinum–gold phosphine clusters (R.P.F. Kanters, P.P.J. Schlebos, J.J. Bour, J. Wijnhoven, E. van den Berg, J.J. Steggerda), (388) 233

[$Mn(CH_3$-η^5-$C_5H_4)(CO)_2PPh_3$], reaction with iodine; crystal structure of diiodobis(triphenylphosphine oxide)manganese(II) (T. Avilés, M.A.A.F. de C.T. Carrondo, M.F.M. Piedade, G. Teixeira), (388) 143

Platinum

Isonitrile-containing platinum–gold phosphine clusters (R.P.F. Kanters, P.P.J. Schlebos, J.J. Bour, J. Wijnhoven, E. van den Berg, J.J. Steggerda), (388) 233

Metallacyclobutarenes from cyclopropa[*b*]naphthalene, reactions with rhodium(I), platinum(0) and palladium(0) (P.J. Stang, L. Song, B. Halton), (388) 215

Platinum(II), cationic five-coordinate monoolefin hydrocarbyl complexes of (A. Sanchez, C. Castellari, A. Panunzi, A. Vitagliano, V. De Felice), (388) 243

Rhodium

Dinuclear sulfur- and selenium-bridged carbonyl-rhodium complexes, reactivity studies of (H. Brunner, N. Janietz, J. Wachter, H.-P. Neumann, B. Nuber, M.L. Ziegler), (388) 203

Heterodinuclear Ru–Ir and Ru–Rh complexes, synthesis and catalytic activity of; crystal structure of [$H(CO)(PPh_3)_2Ru(\mu$-Cl)(μ-pz)Ir(TFB)] (pz = pyrazolate, TFB = tetrafluorobenzobarrelene) (M.P. García, A.M. López, M.A. Esteruelas, F.J. Lahoz, L.A. Oro), (388) 365

Metallacyclobutarenes from cyclopropa[*b*]naphthalene, reactions with rhodium(I), platinum(0) and palladium(0) (P.J. Stang, L. Song, B. Halton), (388) 215

Migration of a hydride ligand to a difluorocarbene ligand bound to rhodium; synthesis and crystal structure of $RhCl_2(CF_2H)(PPh_3)_2$ (A.K. Burrell, G.R. Clark, J.G. Jeffrey, C.E.F. Rickard, W.R. Roper), (388) 391

Ruthenium

Carbonyl-alkyl and carbonyl-acyl bipyridyl ruthenium complexes, terminal alkynes as source of (C. Mountassir, T. Ben Hadda, H. Le Bozec), (388) C13

Heterodinuclear Ru–Ir and Ru–Rh complexes, synthesis and catalytic activity of; crystal structure of [$H(CO)(PPh_3)_2Ru(\mu$-Cl)(μ-pz)Ir(TFB)] (pz = pyrazolate, TFB = tetrafluorobenzobarrelene) (M.P. García, A.M. López, M.A. Esteruelas, F.J. Lahoz, L.A. Oro), (388) 365

[$HRu_3(CO)_{11}]^-$ anionic cluster, reactions with phosphor- and arsene-containing ligands; synthesis and crystal structure of $H_2Ru_3(CO)_7(AsPh_3)_2(AsPh)$ (G. Gremaud, H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (388) 351

Selenium

Dinuclear sulfur- and selenium-bridged carbonyl-rhodium complexes, reactivity studies of (H. Brunner, N. Janietz, J. Wachter, H.-P. Neumann, B. Nuber, M.L. Ziegler), (388) 203

p-Ethoxyphenyl 2-(2-pyridyl)phenyl selinide, crystal structure of (S.A. Mbogo, W.R. McWhinnie, T.S. Lobana, E.R.T. Tiekink), (388) 273

Silicon

Chloromethylphenylethinylsilane, reaction with octacarbonyldicobalt; reactivity of [(η^2-C≡CPh)$Co_2(CO)_6$](Me)Si(H)(Cl) (H. Lang, U. Lay), (388) C1

Cyclic polysilanes, electronic spectra of radical ions of (S. Irie, K. Oka, R. Nakao, M. Irie), (388) 253

Hydridostannyl complexes of iron and corresponding anionic complexes; preparation, stereochemistry and reactivity of (M. Knorr, H. Piana, S. Gilbert, U. Schubert), (388) 327

Racemic acetyl(t-butyl)methylphenylsilane and acetylmethylphenyl[(trimethylsilyl)methyl]silane, synthesis of substrates for stereoselective microbial reductions (R. Tacke, K. Fritsche, A. Tafel, F. Wuttke), (388) 47

Substituted benzamidinate anions as steric equivalents of η^5-C_5H_5 and η^5-C_5Me_5; crystal structures of $[PhC(NSiMe_3)_2]_3UCl$, $[4\text{-}CF_3C_6H_4C(NSiMe_3)_2]_3UCl$, $[2,4,6\text{-}(CF_3)_3C_6H_2C(NSiMe_3)_2]_2UCl_2$ and $[2,4,6\text{-}(CF_3)_3C_6H_2C(NSiMe_3)_2]_2ThCl_2$ (M. Wedler, F. Knösel, M. Noltemeyer, F.T. Edelmann, U. Behrens, (388) 21

(Thioacetoxy-*S*-methyl)diorganylsilanes and (mercaptomethyl)diorganylsilane, synthesis and properties of (R. Tacke, B. Becker, H. Lange), (388) 57

Sulphur

Cp_2Zr ligand complexes, theoretical study of dyotropic rearrangements of (G.N. Sastry, E.D. Jemmis), (388) 289

Dinuclear sulfur- and selenium-bridged carbonyl-rhodium complexes, reactivity studies of (H. Brunner, N. Janietz, J. Wachter, H.-P. Neumann, B. Nuber, M.L. Ziegler), (388) 203

Nido-cluster $[(CO)_3FeS]_2$, photochemically induced [2+2]-cycloaddition of alkenes and dienes to the S–S bond of (A. Kramer, I.-P. Lorenz), (388) 187

Racemic acetyl(t-butyl)methylphenylsilane and acetylmethylphenyl[(trimethylsilyl)methyl]silane, synthesis of substrates for stereoselective microbial reductions (R. Tacke, K. Fritsche, A. Tafel, F. Wuttke), (388) 47

(Thioacetoxy-*S*-methyl)diorganylsilanes and (mercaptomethyl)diorganylsilane, synthesis and properties of (R. Tacke, B. Becker, H. Lange), (388) 57

Titanocene complexes containing the chelating ligands $C_2S_4^{4-}$, $C_2S_5^{2-}$, and $C_2S_6^{2-}$, synthesis and spectra of (R. Steudel, U. Westphal), (388) 89

Tellurium

Diaryl ditellurides, improved preparation of (L. Engman, J. Persson), (388) 71

Thorium

Substituted benzamidinate anions as steric equivalents of η^5-C_5H_5 and η^5-C_5Me_5; crystal structures of $[PhC(NSiMe_3)_2]_3UCl$, $[4\text{-}CF_3C_6H_4C(NSiMe_3)_2]_3UCl$, $[2,4,6\text{-}(CF_3)_3C_6H_2C(NSiMe_3)_2]_2UCl_2$ and $[2,4,6\text{-}(CF_3)_3C_6H_2C(NSiMe_3)_2]_2ThCl_2$ (M. Wedler, F. Knösel, M. Noltemeyer, F.T. Edelmann, U. Behrens, (388) 21

Tin

1,2-Bis(organostannyl)ethanes as bidentate Lewis acids; crystal structures of $(Ph_2ClSnCH_2)_2.(Me_2N)_2PO$ and $[Ph_3P{=}N{=}PPh_3][(Ph_2ClSnCH_2)_2.Cl]$ (K. Jurkschat, F. Hesselbarth, M. Dargatz, J. Lehmann, E. Kleinpeter, A. Tzschach, J. Meunier-Piret), (388) 259

Et_4N[*trans*-$(Cl_3Sn)_2Co(CO)_3$] and $[Co\{(pz)_3BH\}_2][$*trans*-$\{[(CO)_4Co]Cl_2Sn\}_2Co(CO)_3]$, preparation, structures and bonding in (O.J. Curnow, B.K. Nicholson, M.J. Severinsen), (388) 379

Triorganotin(IV) complexes of *N*-benzoylglycine and *N*-benzoylglycylglycine, preparation, IR and ^1H NMR spectral studies of (G.K. Sandhu, G. Kaur), (388) 63

Titanium

Titanocene aluminium hydride, reactions with alcohols, amines and ethers; structures of $[(\eta^5\text{-}C_5H_5)Ti(\mu_2\text{-}H)_2Al(H)(\mu_2\text{-}OC_2H_5)]_2$ and $[(\eta^5\text{-}C_5H_5)_2Ti(\mu_2\text{-}H)_2Al(H)\{\mu_2\text{-}N(C_2H_5)_2\}]_2$ (T.Yu. Sokolova, A.I. Sizov, B.M. Bulychev, E.A. Rozova, V.K. Belsky, G.L. Soloveichik), (388) 11

Titanocene complexes containing the chelating ligands $C_2S_4^{4-}$, $C_2S_5^{2-}$, and $C_2S_6^{2-}$, synthesis and spectra of (R. Steudel, U. Westphal), (388) 89

Tungsten

1,2-Bis(3-indenyl)ethane dianion, reactions with photochemically activated carbonyl complexes of chromium, molybdenum and tungsten; crystal structure of 1,2-bis(3-indenyl)ethane (H.G. Alt, S.J. Palackal, R.D. Rogers), (388) 105

$HW_2(CO)_9(NO)$, substitution of phosphine for CO ligand in; structures of $HW_2(CO)_8(NO)(\eta^2\text{-}(\eta^5\text{-}C_5H_4PPh_2)_2Fe$, $HW_2(CO)_7(NO)(Ph_2PH)_2$, $HW_2(CO)_7(NO)\text{-}(\eta^2\text{-}Ph_2PCH_2PPh_2)$, and $[HW_2(CO)_8(NO)]_2\text{-}(\mu\text{-}Ph_2PCH_2CH_2PPh_2)$, (J.T. Lin, S.Y. Wang, P.S. Huang, Y.M. Hsiao, Y.S. Wen, S.K. Yeh), (388) 151

Uranium

Monocyclooctatetraenyluranium(IV) borohydrides; crystal structure of $(\eta\text{-}C_8H_8)U(BH_4)_2(OPPh_3)$ (D. Baudry, E. Bulot, M. Ephritikhine, M. Nierlich, M. Lance, J. Vigner), (388) 279

Substituted benzamidinate anions as steric equivalents of $\eta^5\text{-}C_5H_5$ and $\eta^5\text{-}C_5Me_5$; crystal structures of $[PhC(NSiMe_3)_2]_3UCl$, $[4\text{-}CF_3C_6H_4C(NSiMe_3)_2]_3UCl$, $[2,4,6\text{-}(CF_3)_3C_6H_2C(NSiMe_3)_2]_2UCl_2$ and $[2,4,6\text{-}(CF_3)_3C_6H_2C(NSiMe_3)_2]_2ThCl_2$ (M. Wedler, F. Knösel, M. Noltemeyer, F.T. Edelmann, U. Behrens, (388) 21

Vanadium

Carbonylvanadates, hydrido- and alkyl-carbonylvanadium complexes containing alkylated oligophosphines as ancillary ligands (F. Süssmilch, W. Glöckner, D. Rehder), (388) 95

Ytterbium

$[Yb(C_5H_4CH_3)_2NH_2]_2$, crystal structure of (A. Hammel, J. Weidlein), (388) 75

Zirconium

Cp_2Zr ligand complexes, theoretical study of dyotropic rearrangements of (G.N. Sastry, E.D. Jemmis), (388) 289